JULY

TEXAS AR(HITE(T

OFFICIAL PUBLICATION OF THE TEXAS SOCIETY OF ARCHITECTS


IN THIS ISSUE

- Four Texans Named
 Fellows Of AIA
- Master Plans For Redevelopment
- Plastering
 And Lathing



The United Services Automobile Association Building, in San Antonio, has been selected by members of the San Antonio Chapter as representative of recent work in the Chapter area. Associated Architects: Phelps & Dewees & Simmons and Atlee B. & Robert M. Ayres, all TSA-AIA.

World's most advanced All-Year Air Conditioner now in One Compact Single Unit



NOT A "TWIN"

- One Gas unit heats and cools through the same coil.
- Uses low-cost natural gas year-round — Silent and dependable.
- No big motor or compressor to wear out.

Servel ALL-YEAR GAS AIR CONDITIONER



This revolutionary 3-ton Servel Gas Air Conditioner obsoletes all others. A single coil handles both the cooling and heating operation . . . permits easy "inside closet" installation and homeowners get the plus advantages of no vibration, no moving parts, low-cost operation and freedom from maintenance.

And there's a big bonus selling point for you . . . the gas utility's interest in assuring a satisfactory installation!



Aggregate Transfer

ADDS BEAUTY AND COLOR TO ARCHITECTURAL CONCRETE



Photograph (approximately 1/2 size) of an aggregate transfer area of the Cuming County Courthouse in West Point, Neb. Backlund & Jackson is the architect-engineer. Parsons Construction Co. is the contractor. Both firms are located in Omaha, Neb.

The Cuming County Courthouse in West Point, Neb. is an example of the warmth and color that can be imparted to architectural concrete structures by using the aggregate transfer method.

The red bands around the courthouse constitute the aggregate. transfer area—a total of 1720 sq. ft. The color was achieved by a mixture of 65% dark cedar gray marble aggregate and 35% alpine red marble chips. The resulting blend contrasts pleasantly with the surrounding area of exposed, grout-cleaned concrete walls.

Aggregate transfer is an economical method developed to obtain color in architectural concrete walls. It is economical because the special aggregate needed is limited to a thin layer at the surface.

You attach colored aggregate to a thin form liner of plywood or other material by means of a special adhesive. Erect the reinforcing and back form in usual way and fill with concrete. Strip forms and treat the colored surface to expose the special facing aggregate.

Architects are invited to write for free, illustrated literature, distributed only in the U.S. and Canada, on the aggregate transfer method.

PORTLAND CEMENT ASSOCIATION

114 East Eighth Street, Austin 1, Texas

A national organization to improve and extend the uses of portland cement and concrete
... through scientific research and engineering field work



AIR CONDITIONING

pioneered by Chrysler engineered by Chrysler to offer you the most versatile line of air conditioning & heating equipment available today for residential & commercial **building**

Air Accessories, Inc.

1400 Henderson Fort Worth, Texas

Airtex, Inc. 1007 Waugh Drive Houston, Texas

Baker Engineering Co.

P. O. Box 543 Lubbock, Texas

Caperton Refrigeration Co.

P. O. Box 3222 Tyler, Texas

Low-Temp Distributors 125 Lamer Street

San Antonio, Texas

Royalair Distributors

2122 Olive Street Dallas, Texas

United Electric Service Co.

500 Galveston Wichita Falls, Texas

Walsh Engineering Co.

Highway 75 North Sherman, Texas



for complete information

CALL THE AIRTEMP DISTRIBUTOR IN YOUR AREA

THE TEXAS ARCHITECT

VOLUME 7

JULY, 1956

NUMBER 3

Official Publication of THE TEXAS SOCIETY OF ARCHITECTS

The Texas Regional Organization of The American Institute of Architects

David C. Baer, AIA-TSA, 1200 Bissonnet, Houston	Editor
Patrick J. Nicholson	Editorial Counselor
John G. Flowers, Jr., Perry-Brooks Building, Austin	Managing Editor

PUBLICATION BOARD THE TEXAS ARCHITECT

David C. Baer, Chairman, TST-	AIA Houston
Lee R. Buttrill, TSA-AIA	Beaumont
Max Brooks, TSA-AIA	Austin
Terrell R. Harper, TSA-AIA	Dallas
Albert S. Golemon, TSA-AIA	Houston
Nolan Barrick, TSA-AIA	Lubbock
Edward L. Wilson, TSA-AIA	Fort Worth

Chapter Representatives

Brazos	William E. Nash
Central Texas	Eugene George
Coastal Bend	Walter Wilde
Dallas	Jack Corgan
El Paso	William Wuehrmann
Fort Worth	Edward L. Wilson
Houston	Harwood Taylor
Lower Rio Grande	Valley Walter Bowman
	Glynn Harris
Panhandle	John Ward
San Antonio	Leo Diehlmann, Jr.
	Lee Buttrill
West Texas	Woodlief Brown

TEXAS SOCIETY OF ARCHITECTS OFFICERS

R. Max Brooks, President Austin
Fred J. MacKie, Vice-President Houston
Reginald H. Roberts.
Second Vice-President San Antonio
Louis F. Southerland, SecyTreas Austin
John G. Flowers, Jr., Exec. Director Austin
Directors
William E. Nash Brazos Chapter
W. O. Gustafson Central Texas Chapter
Walter E. Wilde Coastal Bend Chapter
Terrell R. Harper Dallas Chapter
William G. Wuehrmann El Paso Chapter
Robert P. Woltz, Jr. Fort Worth Chapter
Thompson McCleary Houston Chapter
W. C. Baxter Lower Rio Grande Chapter
Glynn L. Harris North Texas Chapter
O. L. Puckett Panhandle Chapter
Charles Huie, Jr. San Antonio Chapter
R. C. Heartfield Southeast Texas Chapter
David S. Castle West Texas Chapter
Gravson Gill Immediate Past President

Published monthly by the Texas Society of Architects in Houston, Subscription price, 50c per year, in advance, Copyrighted 1951 by the T.S.A., and title registration applied for with the U. S. Patent Office.

Editorial contributions, correspondence, and advertising invited by the Editor. Due to the nature of the publication, editorial contributions cannot be purchased. Publisher gives permission for reproduction of all or part of editorial material

herein, and requests publication credit be given THE TEXAS ARCHITECT, and author of material when indicated. Publications which normally pay for editorial material are requested to give consideration to the author of reproduced by-lined feature material.

A.I.A. Director

Albert S. Golemon

Appearance of names and pictures of products and services in either editorial copy or advertising does not constitute an endorsement of same by either the Texas Society of Architects or the American Institute of Architects.

ARCHITECTS AND AIR-CONDITIONING

With Texas ropidly becoming almost completely air-conditioned, it is important to nate the results of some recent experimentation by researchers from the National Warm Air Heating & Air-Conditioning Association. The tests were concerned with how orientation of a structure affects heat load, and thereby air-conditioning operations and costs.

Results indicate that air-conditioning costs are almost doubled for same structures when they are impraperly oriented. Tests on a home, based on maintaining a 75-degree indoor temperature when the outdoor temperature was at 95, indicated the following:

If the structure was faced west, the heat land was 41,800 BTU's. Properly oriented taward the north, the land was 22,000; toward the south, 22,300 BTU's. The increased heat lood facing west was found to be due chiefly to greater sun lood on expased glass and wall areas, rather than to the roof. Variables including awnings, shading during the day, relative window areas, etc. were considered in calculations.

These tests indicate clearly where professional architectural services can prove on advantage at every stage in planning and construction. It is entirely possible that proper orientation alone could save a substantial portion of the cast of such services in lowered oir-conditioning costs.

The President's Letter

By R. Max Brooks TSA-AIA

President, Texas Society of Architects



One of the mast significent developments in the years since World War II has been the greatly increased emphasis on city planning and urban redevelopment. National attention has been drawn to the tremendous projects in Pittsburgh, Philadelphia and other Eastern cities, where huge areas have been completely rebuilt.

Many Texans fail to realize that plans of very large scape, involving either redevelopment of existing areas, completely new planning, ar a combination of both, are underway in their own state and elsewhere in the Southwest. Austin, Fort Worth and Tulsa are typical of cities now studying important such plans, and other metropolitan areas are moving in the same direction.

The redevelopment program at Tulsa is particularly interesting because architects in the Oklahoma city—as is proper—have taken a prominent role in every stage of the plan. Architects in other cities, including many members af TSA, are working with city planning. But Tulsans have seen their architects move with great energy to assume their traditional rales as master builders and moster planners.

As one architectural publication cammented: "(The Tulsa plan) . . . is a dramatic example of what can happen when men trained in planning and design actually take the lead in urban redevelopment. It is one of those . . . instances when a city's private architects step forward as a group, assume the roles of coordinators and promaters on a team of civic and business leaders, and help their city visualize braad solutions to future problems."

The History of Tile

By Research Department, Bettinger Corporation, Waltham, Mass.

Manufacturer of Ceramic on Steel Wall Title

Tile and enameling date back thousands of years, almost to the dawn of history, and much of the tile used in modern day construction is the same in design and composition as tiles used hundreds of years ago. Their evolution has been highlighted by contributions from many peoples in many ages.

Usage of tile and enamel coatings date back to ancient Egyptian, Greek and Byzantine peoples. Earthenware tiles were used far wall decaration by the Egyptians in the Abusir pyromid of Neterkhet in the Third Dynasty. The Cretians used woll tiles for decoration in their homes from the eighteenth century B.C. and onward. Clay tile, as we know it today, reached its maturity of design and form during the medieval period, and the principal improvements that have been made since deal largely with methods of manufacture.

Made First In Syria

Wall tiles are thought to have been made first in Syria, in the Tigro-Euphrates volley and in Persia. Similarly, the art of enameling is thought to have developed in western Asia or Asia Minor. Gold, silver, copper and earthenware, covered with vitreaus enamels, have been discavered which are evidence of use of enamel coating in Egypt and Assyria before the birth of Christ. Enameled golden ornamental robes on a statue of the god Zeus, made either in Rome or Greece, date back to 400 or 500 B.C.

Lustre wall tiles for the mosque of Side Okba at Karrouan were brought from Baghdad in 894, and by the thirteenth century, manufacture of wall tiles was well established in Persia, notably around Rhages and Veramine.

Spread from Ireland

The Celts and Saxans were developing the art of enameling for use on gold and bronze ornaments, house troppings and shields during the period from 600 to 900 A.D. The Irish had been making enamel pieces before the rise of civilization in the British Isles. From Ireland and Britain, enameling spread to Byzantium between the years of 400 and 1400 A.D.

In the fourteenth century, Mohammedan potters in North Africa and Spain developed new designs for tile which led to the famous Spanish Azulejos tile, a richly decorated piece. An example of this tile was in the Alhambra at Granada.

The Italian majolica type tile was introduced in the sixteenth century and was used in such famous spots as the Convent of St. Paula at Seville and in the altar in the Alcazar at Seville in 1503.

German Stove Tile Meanwhile, a tile far use on stoves was being developed in Germany. At the same time, enameling had become popularized in Europe and by 1750 there were six general types of enameling, almost all centered in Europe. These were: claisonne, champleve, bassi-taille, plique-ajour, Limages (painted enamels) and "miniature" style.

During the 1700's, the most important of the North European tiles were developed in Delft. These were used for fireplace and stove facings and in wall wainscatings.

(Continued on Page 9)



Four TSA Members Elevated to Fellowship

Four well-known members of TSA were advanced to membership in the College of Fellows of the American Institute of Architects during the recent AIA convention in Los Angeles.

The new fellows are:
R. Max Brooks, Austin
Louis F. Southerland, Austin
Ralph Bryan, Dallas
Gen. Raymond Phelps, San Antonio.

ACTIVE IN PROFESSION

All four have been particularly active in their profession and in TSA offairs.

Mr. Brooks, currently TSA president, has held many key posts within the Society including the chairmanship of TSA committees. He is a partner in Kuehne, Brooks & Borr and is well known as a civic and business leader in the state capital in addition to his professional accomplishments.

Mr. Southerland, a member of the Austin firm of Page, Sautherland & Page, has also been very active in TSA and in the professional practice of architecture. He is currently serving his

Re-Elected AIA Secretary, Edward L. Wilson Addresses UT Architectural Graduates

Edword L. Wilson, TSA-AIA of Fort Worth, AIA secretary who has just been re-elected to this important national post, was the commencement speaker for 1956 graduotes of the University of Texas architectural school in Austin recently.

Mr. Wilson in his address, emphasized the importance of a meaningful professional coreer as a responsible practitioner. Architecture, he stated, "... is a way of life, a way of thinking. Every waking moment, one must think as an architect."

The AIA secretary reminded the 1956 graduates that the beginning of professional practice as an orchitect... "must be the natural and normal expression of the attainment to a position of thought and comprehension which looks out on the current scene as an architect, a responsible practitioner, one in whom the public may repose confidence..."

An obridged text of the Wilson address will be printed in August.



BROOKS



PHELPS

third consecutive term as TSA secretary-treasurer after a long record of accomplishments in the Central Texas Chapter and on various TSA committees.

Mr. Bryon, a Dallas architect, is regional architect in charge of haspital construction for the U. S. Public Health Service. Long prominent in his profession and in TSA, he is widely known in Texas and in the Southwest. He has served on a number of TSA



BRYAN



SOUTHERLAND

committees since the Society was first organized.

FORMER TSA PRESIDENT

Mr. Phelps is a former president of TSA. A member of the orchitectural firm of Phelps, Dewees & Simmons of San Antonio, he is a general officer in the reserve forces, one of the many professional and extra-professional fields in which he has been active. He is a charter member of TSA and has served since 1939 on key committees.



Prize-Winning Church

An interior view of the Concordia Lutheran Church in San Antonio, which won a second prize in the small church category of the Church Architectural Guild competition for architect Henry Steinbomer, TSA-AIA, of San Antonio.

The church has exterior walls of Norman size hand-made brick with exposed brick on interior. Other features include the acoustical plaster ceiling and brick panels back of the pulpit and lectern. These panels serve as reflecting surfaces for the speaker and also provide an interesting transition from the low side walls to the large wall areas back of the altar.

The Church Guild competition is conducted according to AIA regulations.

New Techniques and Methods Increase Use of Plaster

Korl F. Doerner, President
Texas Sureau for Lathing and Plastering

Only to some extent may the increased use of plaster as a finishing material in both new and remodeled construction be attributed to the "building boom" of the past few years.

The increasing popularity is related more directly to the development of occustical plaster, new techniques of application, and growing acceptance of fire-safe plaster by architects and builders throughout the state.

After World War II, when experimentation with a variety of new materials became fashionable, it laaked as if the ancient craft of wet-wall construction might be forgatten completely.

The lathing and plastering industry—contractors, journeymen, manufacturers—pulled an "operation bootstrap" of its own, however, and by last year architects were specifying hundreds of thousands of square yards in Texas alone.

FIRE RATING EMPHASIZED

In addition to the new developments within the industry, the importance of fire-safety in construction was re-emphasized. Few materials earn as high a fire rating as lath and plaster.



KARL F. DOERNER

Today, a growing percentage of plaster is "acoustical." Because most acoustical plasters remain in a samewhat soft state, they permit considerable flexibility of design in laying out light fixtures, coves and air conditioning outlets. In addition to its sound absorbency, acoustical plaster—like any other variety of plaster—earns a low fire insurance rate.

Until recently acoustical plaster sametimes presented the problems of lap marks in large areas and of matching existing texture when damaged. These problems now have been solved with machine application. In initial installations the work can be stopped and started as the job demands, and the entire wall or ceiling will be uniform. In the event of indentations, gouges, ar other damage, they can be filled in, sprayed with a small texturing machine, and the result will be uniform.

MACHINE AGE ARRIVES

There are numerous plastering machines in Texas and the Southwest at present, and those architects, contractors and plasterers who have had experience with machine application have reported satisfaction. Machines are being used now in all types of applications, with a resulting increase in volume and acceptance.

The machine age came to the plaster industry in 1949 when a Chicaga carporation successfully field-tested the first plaster pump in 1200 housing units. A number of the machines now on the market are for specialized uses such as for canfined areas, and there are powerful units for large-volume work.

These larger machines consist of an electric or gasoline-driven pump and oir compressor, a hopper, on air hose, and a material hase with spray nazzle. Except for models which do their own mixing, the lightweight plaster is premixed in a power-driven paddle-type mixer and is dumped into the hopper mounted on the plaster machine. The pump conveys the wet mix through the material hose to the nozzle, where air is introduced to atomize or diffuse the wet material into a spray, which is directed by the operator to the wall or the ceiling. In machine application, hose lengths of up to 100' are used successfully to pump plaster in any direction.

LOW AIR PRESSURE

Because of the low air pressure with which the plaster is applied, there is little rebound, and the scratch coat can be sprayed evenly an materials as open as metal loth.

The portable texturing machines, designed primarily for acoustical and textured finishes, have smaller motors and compressors. A small air hase connects the compressor with nozzle and a material happer held by the operator. The premixed material is dumped into the happer, enters the air channel by suction, and is blown out an the wall or ceiling.

It now is possible to apply plaster using half sand as the aggregate, and the machines pump up to $3 \frac{1}{2}$ cubic

(Continued on Page 9)





At Dallas Seminar

At Dallas church seminar sponsored by Baptist General Convention of Texas, J. W. Caldwell (loft) and Ralph Buffington, TSA-AIA of Houston, examine church equipment on display.

Eighty-Two Architects Attend Dallas Seminar On Church Buildina

Eighty-two Texas architects and 12 Baptist leaders gathered in Dallas June 7 and 8 to discuss a \$35,000,000 question: What are the best methods for designing and erecting the multitude of new church and school buildings planned by the Baptist General Convention of Texas in 1956?

Theme of the group's seminar was "Building for the Future." Most of the topics dealt with technical aspects of planning for specific church groups such as the Baptist Sunday School and Training Union classes. Presiding at the meetings were Adam A. Bliss, TSA-AIA of Dallas; Herbert Brasher, TSA-AIA, Lubback, and Hooper Dilday, associate director of the BGCT Sunday School Department.

3,000 CHURCHES PLANNED

J. W. Caldwell, consultant for the convention, said that the seminar was the first of its kind held in Texas. Texas Baptists plan to start 3,000 new churches within the next 20 years, more than 100 of them during 1956, he said.

The denomination is growing at the rate of two new churches per week in congregations by 1975. Total gifts this year will exceed \$71,000,000, of which 13 per cent will be spent on church building payments, 27 per cent on new buildings and equipment and 5 per cent on maintenance and building insurance.

Warns Against Inferior Varieties of Mexican Brick

The brick industry has issued a warning to the public and the construction industry in Texas to beware of inferior Mexican brick, that are poorly burned or otherwise fail to meet accepted standards.

Clayton T. Grimm, executive secretary of the Clay Products Association of the Southwest, says: "A considerable quantity of low-grode brick is presently being imported from Mexico. It has come to the attention of the Association's engineering department that Mexicon brick on numerous homes is disintegrating. Laboratory tests indicate that many Mexican bricks do not

conform to the applicable specification of the American Society for Testing Materials and should not be used where masonry is expased to weathering."

Grimm suggested that the best protection the prospective home buyer con hove is to be sure that he selects a brick for his architect to specify that is backed by a reputable domestic company who will back up the product.

All member manufacturers of the Clay Products Association of the Southwest certify that their own products canform to the applicable ASTM specifications.

*RUGGED...



EAST WACO NEGRO ELEMENTARY SCHOOL Spicer and Bush, Architects, Waco

featuring . .

ALUMAR

Aluminum PROJECTED Windows

- SMART APPEARANCE
- *** EASY OPERATION**
- **♦ ECONOMICAL MAINTENANCE**

*. . . but RIGHTI

R. H. FOLMAR COMPANY

manufacturers AUSTIN, TEXAS

PROJECTED WINDOWS . SWINGING DOORS . SLIDING PANELS . CASEMENT WINDOWS







THE STAFF AT A.I.A. HEADQUARTERS IN WASHINGTON, HAVE BEEN WORKING ON THIS FOR A LONG TIME. NOW IT'S OUR TURN ON THE LOCAL LEVEL.

NEW YORK IS WHERE THE A.IA. WAS ORGANIZED BACK IN 1857, THEY ARE GOING TO ERECT A PLAQUE TO COMMEMORATE THE FOUNDING.

ALL ACROSS THE UNITED STATES, WHEREVER THERE IS AN A.I.A. CHAPTER OR A CIVIC MINDED PERSON, PLANS ARE BEING MADE TO CELEBRATE THIS CENTENNIAL.







DAD, I THINK WE SHOULD BUILD OUR PROGRAM AROUND WHAT ARCHITECTURE IS DOING FOR INDUSTRY!











(Cantinued fram Page 6)

feet per minute. The result is a mare uniform mortor and texture than is possible by hand, and of course the work is done faster with less fatigue for the plasterer.

Of all the general advantages of plaster, including flexibility of design and acoustic control, insulating qualities and sanitation factors, economical maintenance, permanence and ease of redecoration, perhaps the mast important is the fire-safety inherent in plaster finishes.

On fire-safe gypsum or metal lath, plastered walls have saved buildings from total ruin by fire.

Now, through the use of firesafe materials, residential and small commercial construction can be just as fire-proof as manumental construction. Last year lightweight steel frame construction far homes and other small buildings entered the Texas secene for the first time.

FIREPROOF HOMES ERECTED

A dozen or more homes (in Corpus Christ, Austin, Fort Worth) have been erected with lightweight steel framing, metal lath and plaster, making as fire-proof and vermin-proof a structure os any in the nation. All-steel kitchens,

cabinets, doors and windows remove the need for any combustible material whatspever.

The use of steel for studs, joinsts, rafters, sills, plates, and so farth in residences has a slightly higher initial cast than conventianal materials. This initial cost is more than justified, however, by the lower maintenance and fire insurance rate. The potential for steel-constructed, plaster-finished homes and other small buildings appears to be unlimited.

Thus has been the pragress of the plastering industry over the past few years. Along with the new techniques and materials, craftsmanship is improving cantinually. Clean jobs, clase compliance with specifications, and high quality workmanship now can be expected in every job in Texas where plaster is specified.

With an accelerated apprenticeship training program there is every assurance that the lathing and plastering industry will continue to supply the labor needed to meet the increasingly greater amount of work.

Lathing and plastering cantractors of Texas, in cooperation with TSA chapters, are preparing a new publica(Continued from Page 4)


Enameling on iron was started on a commercial basis by the Bartelmes family in Bohemio in about 1830. In 1859, the same family began to put enomel on sheet iron.

Dates To 1867 in U. S.

In the United States, the enameling of cooking utensils started in 1867 and in 1890, a Joliet, Illinois, company put the first line of enameled staves on the market. Refrigerators and washers followed in the early 1900's, and in 1929 the first plant for exclusive manufacture of porcelain enamel wall tile was opened in this country. By 1932, the first all-metal home, enameled inside-and-aut, was put on exhibition. Today ceramic an steel wall tiles are made as a new application of this ancient process.

tion on standard specifications as an integral part of a vigorous service program by industry members.

At a recent convention of lathing and plastering contractors in Dallas, TSA President R. Max Broaks said he looks for an increasing appreciation of the place of architects and of the lathing and plastering industry in this era.



San Antonio Chapter, AIA Representative Selection

CLIENT: United Services Automobile Association, San Antonio, Texos ASSOCIATED ARCHITECTS:

Phelps & Dewees & Simmons Atlee B. & Robert M. Ayres

The owner, an insuronce company serving the Armed Forces all over the world, requested a monumental hame affice building fitted into a well land-scaped site development containing parking for 450 employees' cars and (since the nature of the usage does not require customer porking) a limited parking area for 25 cars.

The building site, bounded on two sides of principal city traffic arteries was slightly unusual in that the major portion of the site was in a swale, the street intersection of these two main arteries being eleven feet higher than the middle of the property. An emphatic requirement of the owner directed that the building be so arranged on the site that the entrance would be higher than the street level of the principal artery.

99% WOMEN EMPLOYEES


The owners requested an office building with work, recreational and training facilities for some 1,000 employees, 99% of whom are women. Same of the special program requirements requested are as follows:

- 1. The typical affice working floor to have a feeling of open-ness, using adequate glassed areas to eliminate any feeling of claustrophobia. Also the elimination of venetian blinds or curtoins in all working areas.
- Arrangements on all floors so that employees might, from time to time, be able to walk out onto an open loggia or balconies.
- Special emphasis regarding a fast method of serving food to all employees in a central cofeteria at the same time.
- Adequate areas for morning and afternoon coffee on those floors too for removed from the cafeteria.
- 5. Transportation system consisting of 14 escalators with a travel speed of 120 feet per minute serve the 8-story partial of the building, also a passenger and freight elevator. Balconies at either end of building contain four smoke-proof stairways that are isolated from interior allowing for maximum safety or egress.

Due to enormous amounts of incoming and outgoing mail, a distribution or message center is located on graund flaor with vertical conveyor to distribute correspondence and popers throughout upper floors.

- Flexible use of some recreational areas, such as coffee rooms, to permit lecture group training.
- Special emphasis in the selection of materials for long life and ease of maintenance.
- B. Provision for the addition of future floors. (The building is designed for additional floors above cafeteria.

The building is a structural steel frame with steel decking and lightweight concrete slab fill. The north and south exterior walls consist of aluminum, glass and porcelain skintype spandrels. Windows are doubleglazed with 1/4" thick heat-resisting glass. These spondrels have a waterproofed back-up wall. The walls of the building are faced with white Georgia Marble in large slabs. Polished granite columns are used on the first floor to support the entronce portico. Ceilings in work areas are suspended acoustic with easily removable occustic panels to gain access to mechanical piping and duct work. Floors in work areas are of vinyl tile. Plastic wall covering was used in corridors and in other heavily used areas.





San Antonio Winner

The new office building for the United Services Automobile Association, in San Antonio, in an unusual close-up taken at night. Members of the San Antonio Chapter, AIA, chose this structure as representative of recent work in the Chapter area. Associated architects: Phelps & Dewees & Simmons and Atlee B. & Robert M. Ayres, all TSA-AIA.



The fixtures illustrated above, and many others too, employ "DieLux" diecastings as an integral part of the unit...for STRENGTH, DURABILITY, APPEARANCE. 1. No. 1015-6715 Recessed. 2. No. A-14 Swivel Unit. 3. No. 8585 Hospital Light. No. WB-25 Wall Unit. Write for your free copies of current PRESCOLITE literature.

*Prescolite's trade name for precision discast products.

PRESCOLITE MANUFACTURING CORP

Berkeley, California . Neshaminy, Pennsylvania



... asphalt or concrete

... for paving you can depend on, it's Texas Bitulithic Co.

50 years of experience in better paving guarantee you that paving by Texas Bitulithic Company is paving you can depend on to last longest. Let one of our salesmenengineers show you how the skill and experience of the oldest paving contractors in Texas can save you money.

Industrial • Drive-Ins • Streets
Residential • Parking Lots

BITULITHIC COMPANY

INDEX TO ADVERTISERS

Airtemp Sales Corp. Clow, James B., Co.	
Dezendorf Marble Company	10
Finger Furniture Contract	12
Folmar, R. H., Co.	. 7
Johnson Construction Specialties Co.	4
Lone Star Brick Company	10
Prescolite Mfg, Co.	11
Portland Cement Assoc.	I
Southern Gas Association	Cover II
Texas Bitulithic	
Texas Bureau of Lathing & Plastering	12
Texas Quarries	Cover III
Texeramics	
Uvalde Rock Asphalt Co.	Cover IV

William W. Caudill Receives Honorary Degree At Michigan State Normal

William W. Caudill, TSA-AIA of Bryan, was awarded the honorary degree of Doctor of Laws from Michigan State Normal College, Ypsilanti, Mich., at the institution's June graduation ceremonies.

● When you desire
SERVICE

in the form of

FURNITURE INFORMATION

or collaboration in

INTERIOR LAYOUTS

along with

GRAPHIC PRESENTATION

you-or your

CLIENT

are welcome to our

SHOWROOM

and

DESIGN DEPARTMENT

any time, with

NO OBLIGATION


Plan to visit

FINGER CONTRACT

3131 Calhoun, Houston-AT 3441

Manufacturers of 24 Colors for Terrazzo and Roofing.
Featuring Sparkling Texas White.

DEZENDORF MARBLE COMPANY



2900 E. 17th ST. P. O. BOX 6032

AUSTIN, TEXAS

FOR TODAY'S

PUBLIC BUILDINGS:

CONVENIENCE + PERMANENCE

Today's public buildings, which taxpayers ex-

pect to withstand the continued use of succeed-

ing generations, often must fill a multitude of

needs. Firesafe plaster meets architectural de-

mands for the flexibility of city halls, county

courthouses, state office buildings. Because it's

firesafe, plaster earns a high fire rating and a

low insurance rate, and is the logical . . .

permanent . . . "housing" for important public

records.

Texas Bureau For

LATHING & PLASTERING

Perry-Brooks Building Austin, Texas Classic, clean,
contemporary
buildings
created with

CORDOVA CREAM LIMESTONE

First National Bank, Huntington, Indiana, Architects: Stevens and Broderick

Cordova Cream Limestone
Is Competitively Priced with
Locally Quarried Stone

When shipped in blocks and slabs by low cost water freight and fabricated by local cutstone contractors. Write today for samples, detailed information and beautiful color showings of Cordova Cream Limestone. Let us show you how you can work profitably with a local cutstone contractor.



Here in the clean lines of this modern bank building, the classic beauty of Cordova Cream Limestone stands out sharply. With all its beauty it also gives an over-all effect of dignity and strength desirable in a financial institution.

This versatile stone has a natural warmth of color, ranging from cream to golden tints. It offers architects a wide latitude of design and decorative possibilities and at the same time gives them a building material that is unsurpassed for enduring strength. And because its natural beauty can't be duplicated — because it is always contemporary and always in good taste, it is a stone of unusual merit for residential, commercial and institutional buildings.

TEXAS QUARRIES, INC.

P. O. Box 91 · Austin, Texas

Section 34.66 P. L. & R.
U. S. POSTAGE
PAID
FORT WORTH, TEXAS
PERMIT No. 2037

Schoolrooms Are In For Brighter Days



Vina-Lux vinyl-asbestos tile makes a perfect flooring background for school areas. Soft, light-reflecting colors, attractive but not distracting, suggest new and interesting design techniques that will make your school interiors more effective.

And Vina-Lux makes light of maintenance, too — doesn't take muddy tracks, grease or chalk dust seriously, and its smooth, tightly-textured surface keeps that fresher, cleaner look for years without the need of wax. When your problem is school flooring, you'll discover new designing freedom in Vina-Lux. Write for information, samples and color chart.

Pattern shown: Kodiak



AZROCK PRODUCTS DIVISION . UVALDE ROCK ASPHALT CO.

597 Frost Bank Building • San Antonio, Texas • Makers of Vino-Lux • Azrock • Duraco • Azphlex

